

**Work Icon**  
Techsolutions

# Importer and Distributor for Industrial Products and Services



@Workicon



Workicontech



Work Icon Techsolutions Co., Ltd.

[www.workicontech.com](http://www.workicontech.com)

# Our Products:

## Emergency Showers & Eyewashes

### Haws (USA)

- Haws 8300-8309
- Haws 8300-8309SS
- Haws 8335SS
- Haws 7361-7461
- Haws 7500
- Haws 7501

### Terysafe

- SSS-150
- SSE-150
- SSB-100



## Testing & Measurements Products

- Alcohol Testers
- Coating Thickness Gauges
- Force Gauges with Stand
- Elcometers
- Electricity Testers
- Combustion Analyzers
- Particle Counters
- Sound Levels Meters
- Water Quality Meters
- Etc.



## Solar Rooftop Projects & Products

### Solar Rooftop Project



### Solarcell Products & Services



### Battery For Solarcell




## Energy Saving Products

### Energy Saving for Air Conditioners



### Energy Saving Fans



### Energy Saving Lights



## Power Systems / Substations / SCADA

### Power Systems / Substations



### SCADA



## Laboratory Products

- Ovens
- Waterbaths
- Incubators
- Emergency Carts
- Magnifying Lamps
- Lab Products
- Etc.



**memmert**  
Experts in Thermatics

Brand: Memmert from Germany



## Logistics Products

- Plastic Pallets
- Plastic Boxes
- Lift Tables
- Carts
- Pallet Truck with Scale (With Printer)
- Power Pallet Truck
- Manual/Semi/Full Electric Stackers
- Forklifts
- Truck Scales
- Etc.



## สินค้า Logistic มือ 2

- รถลากจูง
- Power Pallet Trucks
- Semi Electric Stackers
- Full Electric Stackers
- Electric Reach Trucks
- Forklifts



## Safety Products

- Protective Suits (PPE)
- Safety Gloves (MAPA)
- Stainless Gloves (Euroflex)
- Safety Shoes (MMAX)
- Etc.



## High Pressure & Floor Cleaning



### High Pressure Cleaning

- Waschbar 2020 Aquatherm
- DAS300 LXTA/KXTS
- CE 3000



### Floor & Carpet Cleaning

- Florida 2183K
- Comet 2-45/50BT
- Comet 1-75B



Brand: WEIDNER from Germany



## Construction Tools

- เครื่องตบดิน เติมน้ำถอยหลัง
- เครื่องตบเรียบ
- รถบดอัดดิน
- Portable Concrete Vibrator
- มอเตอร์เขย่าคอนกรีต
- สายจี้ความถี่สูง



## Repair and Calibration (ISO 17025)



บริการ ช่อมและสอบเทียบ  
เครื่องมือเครื่องใช้ในอุตสาหกรรม  
บริการครบวงจร พร้อมใช้งาน



โทร 02-157-1577 to 9

## The Company

### Work Icon Techsolutions Co., Ltd.

We are the direct importer & distributor for : Emergency Showers & Eyewashes, Oil Absorbent, Solar Rooftop Project, Battery For Solarcell, Energy Saving Products, Printers For Business, Logistics Products, Laboratory Products, Testing & Measuring Products, High Pressure Cleaning & Floor Cleaning Products, Metal Detectors, Repair & Calibration (ISO17025). Also, we provide the after sales services for create our customer satisfaction.

### Our Brands :



**kaise**



**Sakase**



### Sample of Our Customers :



**BRIDGESTONE**

**Cargill**



**DAIMLER**



**INDORAMA**



**TOSHIBA**

**true**

**“ Think of Industrial Products and Services ... Think of Work Icon ”**

#### Contact Us :

##### WORK ICON TECHSOLUTIONS CO., LTD.

94/66 Moo 1, Tambol Banmai,  
Amphur Pakkred, Nonthaburi 11120

Tel : (+66)2-157-1577 to 9

Hotline : (+66)86-569-1546

Website : [www.workicontech.com](http://www.workicontech.com)

E-mail : [contact@workicontech.com](mailto:contact@workicontech.com)

#### ติดต่อเรา :

##### บริษัท เวิร์คไคคอน เทคโซลูชั่นส์ จำกัด

94/66 หมู่ 1 ตำบลบ้านใหม่ อำเภอปากเกร็ด  
จังหวัดนนทบุรี 11120

โทร : 02-157-1577 ถึง 9

Hotline : 086-569-1546

เว็บไซต์ : [www.workicontech.com](http://www.workicontech.com)

อีเมล : [contact@workicontech.com](mailto:contact@workicontech.com)



: @workicon



: @workiconth




: workicontech




: Work Icon Techsolutions Co., Ltd.

## รับทำ Projects อุตสาหกรรม

### 1. ระบบกำจัดไอสารเคมี (Wet Scrubber System) / กำจัดHCL



### 2. RFID Automated Truck Scale (ระบบเครื่องชั่งรถบรรทุกแบบอัตโนมัติ RFID)



### 3. Project : Fire Alarm System สำหรับอาคารขนาดใหญ่



### 4. รับซ่อมรอยรั่วหลังคา / เปลี่ยนหลังคา สำหรับโรงงาน และอาคารขนาดใหญ่



### 5. Outdoor Aluminium Wall Panel สำหรับอาคารขนาดใหญ่



## **6. Aluminium Ceiling (เพดานอลูมิเนียม) สำหรับอาคารขนาดใหญ่**




## **7. Aluminium Sun Louver สำหรับอาคารขนาดใหญ่**



## **8. Dry Scrubber**




## 9. Anti Pollution Control System



## 10. RFID สำหรับควบคุมการเข้าออกของรถที่เข้าออกโรงงาน และระบบแจ้งช่องโหลดสินค้า (Dock Loading System/Gate RFID System)



## 11. Renovate ห้อง Lab



**12.**      **รับทำระบบความเย็น (Cooling System) / รับทำห้องเย็น**



**13.**      **รับทำห้อง Cleanroom**




**14.**      **รับทำห้องไลน์การผลิต**



**15.**



**Mobile Yard Ramp**

## **Mobile Yard Ramp** **"Ultimate"**



**16.**

**X Lift**



**17.**

**Lab Furniture**



## 18. Fume Hood สำหรับห้อง Lab



**Purair<sup>®</sup> ADVANCED**

10 10KL 15 20 25 30 40 XT

**General Application Ductless Fume Hoods**  
• Premium Features and High Performance for Demanding Applications

**59 watt<sup>†</sup> Purair model P06 XT shown with optional retractor.**

**37-118 watt<sup>†</sup>**  
The high EC blower motor creates lower cost of ownership in one of the world's most energy efficient ductless fume hoods.

**Air Science<sup>®</sup>**  
"The World's Most Extensive Selection of Ductless Fume Hoods."

USP 800 COMPLIANT

GSA Schedule

## 19. ระบบควบคุมมลพิษทางอากาศ (Air Pollution Control System)



## 20. ระบบ HVAC System



## 21. ขาย/ติดตั้ง Chiller



| Unit Overview             |                                      |
|---------------------------|--------------------------------------|
| Chiller Model             | RTAG - air cooled chiller series R   |
| Refrigeration Capacity    | 120.0 tons                           |
| Cooling Efficiency        | 11.02 EER (Btu/W-h)                  |
| Evaporator Configuration  | Standard Cooling (4 To 27C)          |
| Condenser Configuration   | Standard Ambient (14-114.8F/-10-46C) |
| IPLV/IP                   | 14.67 EER (Btu/W-h)                  |
| NPLV/IP                   | 14.86 EER (Btu/W-h)                  |
| COP                       | 11.03 EER (Btu/W-h)                  |
| Unit Voltage              | 380.V/50.Hz/3 Phase                  |
| Refrigerant Type          | R134a                                |
| Agency Listing            | No agency listing                    |
| Pressure Vessel Code      | ASME code                            |
| A-weighted sound pressure | 100 dBA                              |
| Model Number              | RTAG125H                             |



## 22. Dock Leveller



## 23. High Speed Door (ประตูอัตโนมัติความเร็วสูง)

|                                                                                     |                                                                                                                                          |                                                                                      |                                                                                                                                                            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>CARLOFLEX</b><br>APPLICATION<br>indoor / outdoor<br>openings is industrial<br>storage and commercial<br>facilities                    |  | <b>SPEEDROLL SDF</b><br>STAINLESS STEEL<br>HARDWARE<br>APPLICATION<br>universal - food industry                                                            |
|  | <b>SPEEDROLL SDO</b><br>UNIVERSAL<br>APPLICATION<br>universal - outdoor<br>opening in industrial<br>storage and commercial<br>facilities |  | <b>SPEEDROLL SDI</b><br>LONG TERM<br>SERVICE LIFE<br>APPLICATION<br>universal - indoor<br>opening in industrial<br>storage and commercial<br>facilities    |
|  | <b>SPEEDROLL SDC</b><br>NON - FREEZABLE<br>APPLICATION<br>cold storage                                                                   |  | <b>SPIRAL DOOR HSSD</b><br>HIGH SPEED OF<br>OPERATION<br>APPLICATION<br>indoor / outdoor<br>openings is industrial<br>storage and commercial<br>facilities |

## 24. Dock Shelter (อุโมงค์โหลดสินค้า)



## 25. ติดตั้ง Selective Pallet Rack / Drive In Pallet Rack / Long Span Shelf



Work Icon Techsolutions Co., Ltd.

### SELECTIVE PALLET RACK



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสมกับการจัดเก็บสินค้าที่มีความหลากหลายจุดเด่นของชั้นเก็บสินค้านี้ คือสามารถเลือกเก็บสินค้า Pallet ได้ก่อนก็ได้ และทำให้สินค้าไม่สกปรกไม่ตกค้าง



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสำหรับการจัดเก็บสินค้าที่เหมือนกัน หรือรายการสินค้าที่ไม่มากนัก แต่มีจำนวนต่อรายการมากๆ โดยการจัดเก็บสินค้าที่มีลักษณะเดียวกันอยู่ในช่องเดียวกัน

### DRIVE-IN PALLET RACK



### LONGSPAN SHELF

เป็นชั้นเก็บสินค้าที่ทำกรดัดแปลงมาจาก Selective Rack สำหรับ วางสินค้าที่ไม่ต้องอาศัย พาเลท ในการจัดเก็บ เพียงแค่บู๊ทไม้ยึด หรือแผ่นเหล็กบนคานหลัก แล้วเสริมความแข็งแรงด้วยคานเล็ก สามารถรับน้ำหนักได้ตั้งแต่ 500-3000 กิโลกรัม



## 26. พัดลมแขวนขนาดใหญ่ (Big Fan / High Volume Low Speed Fan)





## Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)

Website: [www.workicontech.com](http://www.workicontech.com)



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

### Newsletter มกราคม 2026



#### Work Icon จำหน่ายสินค้าอุตสาหกรรมครบวงจร และ งาน Projects อุตสาหกรรม :

รถยกไฟฟ้า (Full Electric Stacker)/รถกระเช้า (Boom Lift)/รถCounter Balance Forklift/รถลากจูงไฟฟ้า, สินค้าLogisticครบวงจร, Elcometer และ เครื่องมือวัดเครื่องมือทดสอบ, Universal Testing Machine (UTM)/ Force Tester, Digital Micro Vickers Hardness Tester, Emergency Shower & Eyewash, สินค้าในห้องLab, รถเข็นฉุกเฉิน (Emergency Carts/Trolleys), ชุดPPE, Easicult TTC, เครื่องชั่งครบวงจร, เครื่องฉีดน้ำแรงดันสูง อุตสาหกรรม/เครื่องดูดฝุ่นอุตสาหกรรม, Electric Generator (Gen Set) เป็นต้น

#### งาน Projects อุตสาหกรรม:

ระบบกำจัดไอสารเคมี (Wet Scrubber System)/กำจัดHCL, RFID Automated Truck Scale & เครื่องชั่งรถบรรทุก, Fire Alarm System, รับซ่อมรอยรั่วหลังคา/เปลี่ยนหลังคาสำหรับอาคารใหญ่, Outdoor Aluminium Panel (โครงสร้างอลูมิเนียมนอกอาคาร), Aluminium Ceiling (เพดานอลูมิเนียม), Aluminium Sun Louver (แผงบังแดดอลูมิเนียม), Dry Scrubber, Anti Pollution Control System, Dock Loading System/Gate RFID System, Renovate ห้อง Lab, ระบบทำความเย็น (Cooling System), รับทำห้องเย็น/ห้องCleanroom/ห้องไลน์การผลิต, Mobile Yard Ramp, X Lift, Furniture ห้อง Lab, Fume Hood for Lab, ระบบควบคุมมลพิษทางอากาศ, HVAC System, Chiller, Dock Leveler, High Speed Doors, Dock Shelters, Selective Pallet Racks, พัฒลมเขวขนาดใหญ่ เป็นต้น

# HAPPY NEW YEAR 2026 ถึงลูกค้า Work Icon

Work Icon  
Techsolutions

บริษัท เวิร์คไอคอน เทคโนโลยี จำกัด  
Work Icon Techsolutions Co.,Ltd.



# Happy New Year 2026

## สินค้าแนะนำเดือนนี้

### 1. รถยกไฟฟ้า (Full Electric Stacker) มีหลากหลายสเปก บริการส่งทั่วประเทศ

#### HELI CDD20JF 4000mm FULL ELECTRIC STACKER PALLET TRUCK

- รถยกพาเลทแบบยืนบังคับ
- ยืนลงด้วยไฟฟ้า
- รองรับน้ำหนัก 2000 Kg
- โหลด 600 mm
- ยาว 1150x180x60mm
- จากฐาน 650

เดินหน้าถอยหลัง  
เสาสูงก่อนยก  
ยกสูง  
หัวเสายกสูงสุด  
วงเลี้ยว  
โหลดเซนเตอร์

ระบบมอเตอร์ไฟฟ้า

2495 mm  
4000mm ( 800kg)  
4452 mm  
1340 mm  
600 kg



Changed to Built-in LITHIUM 48V60AH

|                                                      |        |    |             |
|------------------------------------------------------|--------|----|-------------|
| Designing mark                                       |        |    |             |
| Manufacturer                                         |        |    | HELI        |
| Model designation                                    |        |    | CDD20-JF    |
| Drive unit                                           |        |    | 电机          |
| Operator type                                        |        |    | 站驾式         |
| rated capacity                                       | Q      | kg | 2000        |
| Load center distance                                 | c      | mm | 500         |
| Axle centre to fork face                             | x      | mm | 875         |
| Wheelbase                                            | y      | mm | 1128        |
| Weight                                               |        | kg | 746         |
| Service weight (include battery)                     |        | kg | 746         |
| Axle loading, laden driving side/loading side        |        | kg | 956/1790    |
| Axle loading, unladen driving side/loading side      |        | kg | 530/210     |
| Types/Chassis                                        |        |    |             |
| Tyre type driving wheels/loading wheels              |        |    | PU 聚氨酯      |
| Tyre size, driving wheels (diameter x width)         |        | mm | Φ210x75     |
| Tyre size, loading wheels (diameter x width)         |        | mm | Φ80x70      |
| Tyre size, caster wheels (diameter x width)          |        | mm | Φ100x40     |
| Wheels, number driving/caster/loading (drive wheels) |        | mm | 11, 2/4     |
| Track width, front/driving side                      | b10    | mm | 592         |
| Track width, rear/loading side                       | b11    | mm | 515         |
| Dimensions                                           |        |    |             |
| Height of mast, lowered                              | h1     | mm | 1095        |
| Free lift                                            | h2     | mm | 0           |
| Lift height                                          | h3     | mm | 3000        |
| Height drawbar in driving position min./max.         | h14    | mm | 910/1130    |
| Lowered height                                       | h13    | mm | 85          |
| Overall length                                       | l1     | mm | 3810        |
| Length to face of forks                              | l2     | mm | 660         |
| Overall width                                        | b1/b2  | mm | 820         |
| Fork dimensions                                      | b1/b2  | mm | 60/180/1150 |
| Distance between fork-arms                           | b5     | mm | 695         |
| Ground clearance, center of wheelbase                | m2     | mm | 26          |
| Axle width for pallets 1000 x 1200 crossways         | Ast    | mm | 2225        |
| Axle width for pallets 800 x 1200 lengthways         | Ast    | mm | 2200        |
| Turning radius                                       | Wa     | mm | 1340        |
| Performance data                                     |        |    |             |
| Travel speed, laden/unladen                          | km/h   |    | 4.5/5.5     |
| Lifting speed, laden/unladen                         | m/s    |    | 0.085/0.15  |
| Lowering speed, laden/unladen                        | m/s    |    | 0.11/0.16   |
| Max. gradeability, laden/unladen                     | %      |    | 4/10        |
| Service brake type                                   |        |    | 电机制动        |
| Electric engine                                      |        |    |             |
| Drive motor rating S2 60 min                         | kW     |    | 1.0         |
| Lift motor rating at S3 15%                          | kW     |    | 2.2         |
| Battery voltage/nominal capacity K5                  |        |    | 4 x 12/65   |
| Battery weight                                       | kg     |    | 415.3       |
| Addition data                                        |        |    |             |
| Type of drive control                                | c(B/A) |    | 直选          |
| Steering type                                        |        |    | 舵机          |
| Sound pressure level at the driver's ear             |        |    | % T3        |

## 2. รถกระเช้า (Boom Lift/Scissor Lift) มีหลากหลายสเปก บริการส่งทั่วประเทศ

### EC600SJ

ELECTRIC BOOM

BOOM LIFT

#### STANDARD SPECIFICATIONS

**Performance**

|                                      |                            |
|--------------------------------------|----------------------------|
| Platform Height                      | 60-ft 3-in / 18.36-m       |
| Horizontal Outreach                  | 43-ft 3-in / 13.18-m       |
| Swing                                | 400 Degrees Non-Continuous |
| Platform Capacity                    | 500-lb / 227-kg            |
| Platform Rotator                     | 180 Degrees Hydraulic      |
| Jib Range of Articulation (Vertical) | 145 Degrees (+75, -70)     |
| Weight*                              | 16,710-lb / 7,580-kg       |
| Max. Ground Bearing Pressure         | 52 psi / 3.7 kg/cm²        |
| Drive Speed                          | 3.0 mph / 4.8 km/h         |
| Gradeability (2WD)                   | 30%                        |
| Gradeability (4WD)                   | 45%                        |
| Turning Radius Inside (2WS/4WS)      | 4-ft 1.22-m                |
| Turning Radius Outside (2WS/4WS)     | 15-ft 2.5-in / 4.64-m      |

### DINGLI

Ground - New Height

### JCPT1612HA

Scissor Lifts

#### SPECIFICATIONS

| Size                             | Metric        | British           |
|----------------------------------|---------------|-------------------|
| Max. Working Height ①            | 15.70m        | 51ft 6in          |
| Max. Platform Height ②           | 13.70m        | 44ft 11in         |
| Overall Length ③                 | 2.89m         | 9ft 6in           |
| Overall Width ④                  | 1.25m         | 4ft 1in           |
| Overall Height/Reach Up ⑤        | 2.62m         | 8ft 7in           |
| Overall Height/Reach Down ⑥      | 2.09m         | 6ft 10in          |
| Platform Size/Length x Width     | 2.64m x 1.12m | 8ft 8in x 3ft 8in |
| Platform Extension Size ⑦        | 0.90m         | 2ft 11in          |
| Ground Clearance (Stowed/Raised) | 0.10m/0.119m  | 4in/5in           |
| Wheelbase ⑧                      | 2.34m         | 7ft 8in           |
| Turning Radius (Inside/Outside)  | 0m/2.05m      | 0in/6ft 8in       |
| Tyres                            | ø165 x 127mm  | ø165 x 127mm      |

**Performance**

|                                 |         |         |
|---------------------------------|---------|---------|
| S.W.L                           | 250kg   | 551lb   |
| S.W.L On Extension              | 113kg   | 249lb   |
| Max. Occupants (Indoor/Outdoor) | 2/0     | 2/0     |
| Gradeability                    | 25%     | 25%     |
| Travel Speed (Stowed)           | 3.5km/h | 2.17mph |

## 3. รถ Counterbalance Forklift / รถลากจูงไฟฟ้า

### HELI

**CPD20/25/30/35/38**  
A6L1K2-S A6L1K2-M A5L1K2-H

**2-3.8 t**  
K2 Series Lithium Battery Counterbalance Forklift

### HELI合力

**2-7 t**  
G2系列锂电池牵引车  
G2 series lithium battery tractor

## 4. สินค้าโลจิสติกส์ ครบวงจร

### Work Icon Techsolutions Co., Ltd. : Highlight Products

### Logistics Products

### สินค้าโลจิสติกส์ครบวงจร

Barcode Scanner, Plastic Box, รถลากพร้อมเครื่องชั่ง, รถยกไฟฟ้า, รถโฟล์คลิฟท์, จา Forklift สามารถชั่งได้, เครนไฟฟ้า, พาเลทพลาสติก, X-Lift, Lift, Ramp, Dock Leveler

## 5. Elcometer รุ่นต่างๆ และ Coating Thickness Guage (เครื่องวัดความหนาสี)



## 6. Universal Testing Machine (UTM) / Tensile Testing Machine / Force Tester



## 7. Digital Micro Vickers Hardness Tester



## 8. DC Porosity Detectors

**PCWI**  
PRECISION INSTRUMENTATION

**PCWI Compact**  
DC POROSITY DETECTORS

**Complies with the requirements of**  
AS3894.1-2002 and Nace Standards SP0190-2007;  
RP0174-2004 & SP0188-2006

**Applications**

- Used for detection of coating porosity (pin-holes, or holidays) in dielectric (insulation type) coatings on conductive substrates, including concrete.
- Suitable for Production Pipeline Coating operations, Tank-work and Structures. Ideal for use on storage tanks, valves and pipelines.
- Housed in a fully portable ABS case, the Detectors deliver stabilised DC output of up to 30kV. Constant current source maintains applied test voltage. Full test current at low voltages (where it is needed most) when testing at low film builds (eg. 150µm—as per AS3894.1-2002).
- Incorporating momentary-on and continuous-on switches (mounted on the front panel), allowing the units to be switched on momentarily for safety, or run continuously.
- No need to swap power supplies or change probes to change voltage—the Detectors have dip-on battery packs that can be separately charged. Can operate off mains power (via the charger) during recharging. Fully recharged in 10 hours. Regulated DC output fully adjustable. Applied voltage and battery condition are continuously shown on the Liquid Crystal Display.

**Controls**

- 1 LCD display (including battery condition indicator)
- 2 Voltage control (10 turn)
- 3 Visual alarm indicates when fault is found
- 4 On switch
- 5 Off/standby switch
- 6 Sensitivity control for the alarm
- 7 Audible alarm when fault is found
- 8 High Voltage probe connector
- 9 Fuse (1.6A slow blow) 5 x 20mm
- 10 Earth connection point
- 11 Charge connector—allows operation while charging is in progress
- 12 Dip-on battery pack
- 13 Earphone (connected on opposite side)

**Features**

- Lightweight with ABS case
- Momentary on switch allows auto shut-off
- Digital display of applied voltage with integral battery condition indicator
- Regulated DC voltage
- Voltage ranges of 0-15kV or 0-30kV, fully adjustable
- Dip-on battery pack
- Constant test current
- Sensitivity control
- Overcharge protection
- Single power supply
- Earphones for noisy environments
- Optional on/off switch in handle

**Complete with**

**Industrial Kit:**  
Detector with dip-on power pack, 12hr Charger, Probe handle with neon and 2m lead, 60mm Connector for flat brushes, 7m Earth lead with clamp, Fan Brush, 450mm Probe extension, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration Certificate.

**Pipeline Kit:**  
Detector with dip-on power pack, 12hr Charger, Probe handle with neon and 2m lead, 60mm Connector for flat brushes, 7m Earth lead with clamp, Fan brush, Coil jumper with 450mm connector, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration Certificate.

**Specifications**

|                    | DC15                                 | DC30                                 |
|--------------------|--------------------------------------|--------------------------------------|
| Unit Weight:       | 2.2kg                                | 2.2kg                                |
| Packed Weight:     | 6.2kg                                | 6.9kg                                |
| Display:           | LCD 3½ digits                        | LCD 3½ digits                        |
| Voltage:           | 0 to 15kV                            | 0 to 30kV                            |
| Resolution:        | 10V                                  | 10V                                  |
| Short circuit:     | Test current 0.5mA max               | Test current 0.5mA max               |
| Power supply:      | Gas Cell 3Ah Spill-out               | Gas Cell 3Ah Spill-out               |
| Dimensions:        | 250 x 190 x 70mm                     | 250 x 190 x 70mm                     |
| Alarm:             | Audible and visual                   | Audible and visual                   |
| Probe handle:      | 2m high-voltage silicone rubber lead | 2m high-voltage silicone rubber lead |
| Battery condition: | LCD Display                          | LCD Display                          |

**CONTROL LAYOUT**

**MADE IN AUSTRALIA**

**SIDE VIEW**

## 9. เครื่องมือวัด เครื่องมือทดสอบ (Testing & Measuring Products)

**Work Icon Techsolutions Co., Ltd. : Highlight Products**

**Testing & Measuring Products**

**เครื่องมือวัด เครื่องมือทดสอบ**

- เครื่องวัดแอดคอสซอด, เครื่องวัดความหนาฟิล์ม, เครื่องวัดไฟฟ้า
- เครื่องวัดแรงดึงแรงกด, เครื่องวัดแก๊ส, เครื่องวัดปริมาณฝุ่น



## 10. ฝักบัวฉุกเฉินและอ่างล้างตาฉุกเฉิน (Emergency Showers & Eyewashes) Brand: Haws (USA), Terysafe

**Work Icon Techsolutions Co., Ltd. : Highlight Products**

**Emergency Showers & Eyewashes**

**ฝักบัวฉุกเฉิน และ อ่างล้างตาฉุกเฉิน**

**Brand: Haws (USA), Terysafe**



## 11. สินค้าในห้อง Lab เช่น Oven, Waterbath, Stirrer, เป็นต้น

Work Icon Techsolutions Co., Ltd. : Highlight Products

Laboratory Products **memmert** **Nabertherm** **LAB-KITS**  
Lab Instruments & Facilities

**สินค้าในห้อง Lab**  
เช่น Oven, Waterbath, Incubator Brand: Memmert  
Furnace Brand: Nabertherm, Spectrophotometer Brand: Lab-Kits



## 12. รถเข็นฉุกเฉิน (Emergency Carts/Trolleys)

**LS-850EB**  
Emergency Trolley



**MIZAKI**  
Best Product of 2009-2011

**EMERGENCY TROLLEY**

**MODEL: MIZAKI 103**

● **SPECIFICATION:**

- Size : 465 x 650 x 900 mm.
- ABS body with aluminium alloy
- One light drawer + two middle drawers + two big deep drawers
- Two dust bin
- Two plastic box with out lid
- Two Needle disposal box
- Adjustable I.V. Pole 4 Hooks
- C.P.R. Board size: 410 x 530 x 20 mm
- Oxygen Tank holder
- Sliding side shelf size : 500 x 330 mm
- Monitor shelf size : 250 x 300 mm
- Two keys for centralized locking



## 13. ชุดPPE (เน้นขายจำนวนมาก)

**Lakeland**

Protect  
Your  
People®

**MicroMax NS Coverall – EMN428**

Protective coverall with elasticated hood, cuffs and ankles. Improved Super-B style coverall with reinforced crotch, inset sleeves and respirator fit hood. Superior fit, wearability and durability

55gsm microporous film laminated fabric. Stitched seam.

25 per case



EN ISO 13982-1:2004+A1:2010 Type 5B

EN ISO 13034:2005+A1:2009 Type 6B

EN 14126:2003 Protection against infective agents

EN 1073-2:2002 Protective clothing against radioactive contamination

EN 1149-5:2008 Electrostatic properties (anti-static)



## 14. Easicult TTC (เน้นขายจำนวนมาก)



## 15. เครื่องชั่ง ครบวงจร

**OHAUS** **Valor® 1000**  
Compact Precision Scales

The image shows the OHAUS Valor 1000 precision scale. It is a compact, stainless steel scale with a large, flat weighing platform. The front panel features a digital LCD display and several control buttons. The scale is shown from a slightly elevated angle, highlighting its compact design.

**Economical, multipurpose weighing in a compact scale**

OHAUS Valor 1000 precision scales are an economical choice for your basic weighing needs. Standard software includes checkweighing mode, net or multiple mode and multiple units of measure. Valor 1000 scales feature a removable stainless steel weighing platform, and a mild profile ABS plastic housing with leveling adjustment. Each scale also comes standard with a long-lasting internal rechargeable battery for ultimate portability and convenience.

**Standard Features include:**

- **Ergonomic design** – Compact footprint, large removable stainless pan with a bright, easy-to-read backlit LCD & audible beeps
- **Solid performance** – Fast response time, loading capability standard, and precision resolutions up to 7.500g
- **Friendly operation** – Easy to clean and transport. Includes long-life internal rechargeable battery with standard AC power adapter and user-selectable auto shut off backlight

**OHAUS** **Pioneer® Series**  
Analytical and Precision Balances

The image shows two models of OHAUS Pioneer Series balances. On the left is a larger analytical balance with a glass draft shield and a stainless steel weighing pan. On the right is a smaller precision balance with a flat stainless steel weighing pan. Both balances have digital displays and control buttons.

**The Best Balance For Basic Weighing!**

The OHAUS Pioneer Series of analytical and precision balances are designed for basic routine weighing in a variety of laboratory, industrial and education applications. With the right combination of performance and features, the OHAUS Pioneer offers uncomplicated performance for all your basic weighing needs.

**Standard Features include:**

- **Easy to Clean Analytical Draftshield** – Pioneer's draftshield is designed with all glass panels, including three sliding doors. All panels are easy to remove and replace, and together with a stainless steel bottom, make it fast and easy to clean
- **Upfront Level Indicator** – Pioneer has been designed with an up-front level indicator so that users can quickly ensure the balance is level prior to use
- **Selectable Environmental Settings** – Three filter modes and adjustable zero tracking adjust balance sensitivity to environmental disturbances, or application requirements

**Work Icon**  
Techsolutions

## Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)

Website: [www.workicontech.com](http://www.workicontech.com)



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

### Sample of Our Prestige Customers

|                                                                                                                                                                       |                                                                                     |                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <br>บริษัท การบินไทย จำกัด (มหาชน)<br>Reports of Thailand Public Company Limited     |    |    |
| <br>CHRISTIANI & NIELSEN                                                             |    |    |
|   |   |   |
|                                                                                    |  |  |
|                                                                                    |  |  |
|                                                                                    |  |  |
|                                                                                    |  |  |
|                                                                                    |  |  |
|                                                                                    |  |  |

## Sample List of Our Customers

|                                                     |                                                        |
|-----------------------------------------------------|--------------------------------------------------------|
| AGC Chemicals (Thailand) Co., Ltd.                  | NHK Spring (Thailand) Co., Ltd.                        |
| Airports of Thailand PLC. (Suvarnabhumi Airport)    | Nippon Paint (Thailand) Co., Ltd.                      |
| AMATA Natural Gas Distribution Co., Ltd.            | Oji Paper (Thailand) Co., Ltd.                         |
| Asia Cement PLC.                                    | Pepsi-Cola (Thai) Trading Co., Ltd.                    |
| Bangkok Solar Power Co., Ltd.                       | Phyathai Hospital PLC.                                 |
| Beko Thai Co., Ltd.                                 | POSCO-Thainox PLC.                                     |
| Behn Meyer Chemicals (T) Co., Ltd.                  | President Rice Products PLC. (MAMA)                    |
| Bridgestone Tire Manufacturing (Thailand) Co., Ltd. | PTT PLC.                                               |
| Calbee Tanawat Co., Ltd. (Calbee Snacks)            | PTT Natural Gas Distribution Co., Ltd.                 |
| Cargill Siam Co., Ltd.                              | Ratchburi Power Co., Ltd.                              |
| Cal-Comp Electronics PLC.                           | Rayong Glass Industry Co., Ltd.                        |
| Christiani & Neilsen (Thai) PLC.                    | S&P Syndicate PLC. (S&P)                               |
| Churarat Hospital PLC.                              | SCG Chemicals Co., Ltd.                                |
| CJ Korea Express (Thailand) Co., Ltd.               | Schenker (Thai) Co., Ltd.                              |
| CP All PLC. (7-Eleven Thailand)                     | Sharp Manufacturing (Thailand) Co., Ltd.               |
| CPF (Thailand) PLC.                                 | Sino-Thai Engineering and Construction PLC.            |
| Daimler Commercial Vehicles (Thailand) Ltd.         | Solartron PLC.                                         |
| Dhanasindhi Co., Ltd. (Thai Bev)                    | Songkhla Canning PLC.                                  |
| DHL Supply Chain (Thailand) Co., Ltd.               | Sriracha Construction PLC. (SRICHA)                    |
| Endress+Hauser (Thailand) Ltd.                      | Sri Trang Agro Industry PLC.                           |
| GFPT Nichirei Co., Ltd.                             | Taokaenoi Food & Marketing PLC.                        |
| GISTDA                                              | TDK (Thailand) Co., Ltd.                               |
| Haad Thip PLC. (Coca-Cola)                          | Thai Carbon Black PLC.                                 |
| Hitachi Chemical Automotive Co., Ltd.               | Thai Foods Group PLC.                                  |
| Hitachi Plant Technology Co., Ltd.                  | Thai Malaya Glass Co., Ltd. (Berli Jucker PLC.)        |
| Honda Automobile (Thailand) Co., Ltd.               | Thai Rath Newspaper                                    |
| Italian Thai Development PLC.                       | Thai Union PLC.                                        |
| Indorama Ventures PLC.                              | The Mall Group                                         |
| Jotun Thai Co., Ltd.                                | The Petroleum College, Chulalongkorn University        |
| Khon Kaen Hospital                                  | TNT Express Worldwide (Thailand) Co., Ltd.             |
| Krabi Nakharin International Hospital               | Toray Hybrid Cord (Thailand) Co., Ltd.                 |
| Kohler (Thailand) PLC.                              | Toshiba Hokuto Electronic Devices (Thailand) Co., Ltd. |
| Kubota Kasui (Thailand) Co., Ltd.                   | TOSHIBA (Thailand) Co., Ltd.                           |
| LF Logistics (Thailand) Ltd.                        | True Distribution and Sales Co., Ltd.                  |
| Metropolitan Electricity Authority (MEA)            | True Lifestyle Retail Co, Ltd. (True Coffee)           |
| Minor Food Group PLC.                               | Vibhavadi Hospital PLC.                                |
| NHK Precision Co., Ltd.                             | YANMAR (S.P.) Co., Ltd.                                |

**Work Icon**  
Techsolutions

## Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)

Website: [www.workicontech.com](http://www.workicontech.com)



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

เปิดรับสมัครตัวแทนจำหน่ายทั่วประเทศ

**Work Icon**  
Techsolutions

## Work Icon Techsolutions Co., Ltd.

Importer & Distributor in Thailand for Brands :



เปิดรับสมัคร  
ตัวแทนจำหน่าย  
ทั่วประเทศ

**Work Icon Tel : 02-157-1577 to 9 | Hotline : 086-569-1546**



Emergency Showers & Eye Washes




Testing & Measuring




Laboratory Products & Emergency Carts



Safety Products



สินค้า Logistic & เครื่องซิงเฟลา



Mobile Racks & Automatic Warehouse



Project : ติดตั้ง Chiller



Project : ย้ายพัดลม, แอร์, เครื่องจักรขนาดใหญ่



High Pressure & Floor Carpet Cleanings



Construction Tools



ผู้Gen & หม้อแปลงไฟฟ้า



Repair & Calibration

### Samples of our customers :



Work Icon Techsolutions Co., Ltd.

Email : [contact@workicontech.com](mailto:contact@workicontech.com)

Website : [www.workicontech.com](http://www.workicontech.com)

: @workiconth



Line : @workicon



IG : workicontech



Work Icon Techsolutions Co., Ltd.



สนใจเป็นตัวแทนจำหน่าย ติดต่อ :

**Work Icon Techsolutions Co., Ltd.**

**Tel: 02-157-1577 ถึง 9 | Hotline : 086-569-1546**

**E-mail: [contact@workicontech.com](mailto:contact@workicontech.com)**

**Website: [www.workicontech.com](http://www.workicontech.com)**