

Work Icon
Techsolutions

Importer and Distributor for Industrial Products and Services



@Workicon



Workicontech



Work Icon Techsolutions Co., Ltd.

www.workicontech.com

Our Products:

Emergency Showers & Eyewashes



Haws (USA)

- Haws 8300-8309
- Haws 8300-8309SS
- Haws 8335SS
- Haws 7361-7461
- Haws 7500
- Haws 7501

Terysafe

- SSS-150
- SSE-150
- SSB-100



Testing & Measurements Products

- Alcohol Testers
- Coating Thickness Gauges
- Force Gauges with Stand
- Elcometers
- Electricity Testers
- Combustion Analyzers
- Particle Counters
- Sound Levels Meters
- Water Quality Meters
- Etc.



Solar Rooftop Projects & Products

Solar Rooftop Project



Solarcell Products & Services



Battery For Solarcell



Energy Saving Products


Energy Saving for Air Conditioners



Energy Saving Lights



Energy Saving Fans



Power Systems / Substations / SCADA

Power Systems / Substations



SCADA



Laboratory Products

- Ovens
- Waterbaths
- Incubators
- Emergency Carts
- Magnifying Lamps
- Lab Products
- Etc.



Brand: Memmert from Germany



Logistics Products

- Plastic Pallets
- Plastic Boxes
- Lift Tables
- Carts
- Pallet Truck with Scale (With Printer)
- Power Pallet Truck
- Manual/Semi/Full Electric Stackers
- Forklifts
- Truck Scales
- Etc.



สินค้า Logistic มือ 2

- รถลากจูง
- Power Pallet Trucks
- Semi Electric Stackers
- Full Electric Stackers
- Electric Reach Trucks
- Forklifts



Safety Products

- Protective Suits (PPE)
- Safety Gloves (MAPA)
- Stainless Gloves (Euroflex)
- Safety Shoes (MMAX)
- Etc.



High Pressure & Floor Cleaning



High Pressure Cleaning

- Waschbar 2020 Aquatherm
- DAS300 LXTA/KXTS
- CE 3000



Floor & Carpet Cleaning

- Florida 2183K
- Comet 2-45/50BT
- Comet 1-75B



Brand: WEIDNER from Germany



Construction Tools

- เครื่องตบดิน เติมน้ำถอยหลัง
- เครื่องตบเรียบ
- รถบดอัดดิน
- Portable Concrete Vibrator
- มอเตอร์เขย่าคอนกรีต
- สายจี้ความถี่สูง



Repair and Calibration (ISO 17025)

Work Icon
Technologies

บริการ ซ่อมและสอบเทียบ
เครื่องมือเครื่องใช้ในอุตสาหกรรม
บริการครบวงจร พร้อมใช้งาน



โทร 02-157-1577 to 9

The Company

Work Icon Techsolutions Co., Ltd.

We are the direct importer & distributor for : Emergency Showers & Eyewashes, Oil Absorbent, Solar Rooftop Project, Battery For Solarcell, Energy Saving Products, Printers For Business, Logistics Products, Laboratory Products, Testing & Measuring Products, High Pressure Cleaning & Floor Cleaning Products, Metal Detectors, Repair & Calibration (ISO17025). Also, we provide the after sales services for create our customer satisfaction.

Our Brands :



kaise



Sakase



Sample of Our Customers :



BRIDGESTONE

Cargill



DAIMLER



INDORAMA



TOSHIBA

true

“ Think of Industrial Products and Services ... Think of Work Icon ”

Contact Us :

WORK ICON TECHSOLUTIONS CO., LTD.

94/66 Moo 1, Tambol Banmai,
Amphur Pakkred, Nonthaburi 11120

Tel : (+66)2-157-1577 to 9
Hotline : (+66)86-569-1546

Website : www.workicontech.com
E-mail : contact@workicontech.com

ติดต่อเรา :

บริษัท เวิร์คไอคอน เทคโนโลยี จำกัด

94/66 หมู่ 1 ตำบลบ้านใหม่ อำเภอปากเกร็ด
จังหวัดนนทบุรี 11120

โทร : 02-157-1577 ถึง 9
ฮอตไลน์ : 086-569-1546

เว็บไซต์ : www.workicontech.com
อีเมลล์ : contact@workicontech.com



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

รับทำ Projects อุตสาหกรรม

1. Dry Scrubber




2. รับทำระบบความเย็น (Cooling System) / รับทำห้องเย็น



3. Mobile Yard Ramp

Mobile Yard Ramp "Ultimate"



4. High Speed Door (ประตูอัตโนมัติความเร็วสูง)



5. Dock Shelter (อโฌงคโหลดสึนค้)



Dock shelter with aluminium retractable structure



Inflatable dock shelters

6. ติดตั้ง Selective Pallet Rack / Drive In Pallet Rack / Long Span Shelf



Work Icon Techsolutions Co., Ltd.

SELECTIVE PALLET RACK



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสมกับการจัดเก็บสินค้าที่มีความหลากหลายจุดเด่นของชั้นเก็บสินค้านี้ คือสามารถเลือกดึงสินค้า Pallet ได้ออกมาทันที และทำให้สินค้าไม่สกปรกไม่ตกค้าง



เป็นชั้นเก็บสินค้าที่ได้รับการออกแบบให้เหมาะสมกับการจัดเก็บสินค้าที่เหมือนกัน หรือรายการสินค้าที่ไม่มากนัก แต่มีจำนวนต่อรายการมากๆ โดยการจัดเก็บสินค้าที่มีลักษณะเดียวกันอยู่ในช่องเดียวกัน

DRIVE-IN PALLET RACK



LONGSPAN SHELF

เป็นชั้นเก็บสินค้าที่ทำการดัดแปลงมาจาก Selective Rack สำหรับวางสินค้าที่ไม่ต้องอาศัย พาเลท ในการจัดเก็บ เพียงแต่ปูพื้นไม้ไผ่ หรือแผ่นเหล็กบริเวณหลัก แล้วเสริมความแข็งแรงด้วยคานเหล็ก สามารถรับน้ำหนักได้ตั้งแต่ 500-3000 กิโลกรัม



7. Lab Furniture



8. Project : Fire Alarm System สำหรับอาคารขนาดใหญ่



9. Outdoor Aluminium Wall Panel สำหรับอาคารขนาดใหญ่



10. Aluminium Ceiling (เพดานอลูมิเนียม) สำหรับอาคารขนาดใหญ่



11. Aluminium Sun Louver สำหรับอาคารขนาดใหญ่





Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

Newsletter เมษายน 2026



Work Icon จำหน่ายสินค้าอุตสาหกรรมครบวงจร และ งาน Projects อุตสาหกรรม :

Emergency Shower & Eyewash, Full Electric Stacker และสินค้า Logisticครบวงจร, เครื่องมือวัดเครื่องมือทดสอบ Elcometer, เครื่องวัดคุณภาพอากาศ/PM2.5, Coating Thickness Gauge, DC Porosity Detector, รถเข็นฉุกเฉิน (Emergency Carts/Trolleys), Dock Leveler, Universal Testing Machine (UTM) และ Modernization, Chiller, Viber X+, Color Assessment Cabinet, X-Lift, Electric Generator (Gen Set), สินค้าในห้องLab, ถุงมือMAPA, ชุดPPE, เครื่องชั่งครบวงจร, เครื่องฉีดน้ำแรงดันสูงอุตสาหกรรม/เครื่องดูดฝุ่น อุตสาหกรรม เป็นต้น

งาน Projects อุตสาหกรรม:

ระบบกำจัดไอสารเคมี (Wet Scrubber System)/กำจัดHCL/Exhaust System, รับซ่อมรอยรั่วหลังคา/เปลี่ยนหลังคา สำหรับอาคารใหญ่, RFID Automated Truck Scale/RFID Dock Loading System/RFID Gate System, Dry Scrubber, รับทำห้องเย็น, ระบบทำความเย็น (Cooling System), Mobile Yard Ramp, High Speed Doors, Dock Shelter, Selective Pallet Rack, พัดลมแขวนขนาดใหญ่, Furniture และ แก้วห้องLab, Fire Alarm System, Outdoor Aluminium Panel (โครงสร้างอลูมิเนียมนอกอาคาร), Aluminium Ceiling (เพดานอลูมิเนียม), Aluminium Sun Louver (แผงบังแดดอลูมิเนียม) เป็นต้น



สินค้าแนะนำเดือนนี้

1. ฝักบัวฉุกเฉินและอ่างล้างตาฉุกเฉิน (Emergency Showers & Eyewashes) Brand: Haws (USA), Terysafe




2. รถยกไฟฟ้า (Full Electric Stacker Pallet Truck)

HELI CDD20JF 4000mm FULL ELECTRIC STACKER PALLET TRUCK

- รถยกพาเลทแบบยื่นบังคับ
- ขับเคลื่อนด้วยไฟฟ้า
- รองรับน้ำหนัก 2000 Kg
- โหลด 600 mm
- ยาว 1150x180x60mm
- จากวาง 650

เติมน้ำกอยหลัง 2495 mm
 เสาสูงก่อนยก 4000mm (800kg)
 ยกสูง 4452 mm
 หัวเสายกสูงสุด 1340 mm
 วงล้อ 600 kg
 โหลดเซนเตอร์



Changed to Built-in LITHIUM 48V60AH

Distinguishing mark		HELI	
Manufacturer			
Model designation			CDD20-JF
Drive unit			电机
Operator type			站人式
Rated capacity	Q	kg	2000
Load center distance	C	mm	600
Aisle centre to fork face	X	mm	875
Wheelbase	Y	mm	1128
Weight			
Service weight (incl.fork/batter)		kg	740
Aisle loading, laden/driving side/loading side		kg	950/1790
Aisle loading, unladen driving side/loading side		kg	530/210
Types,Chassis			
Type type driving wheels/loading wheels		PU	聚氨酯
Type size, driving wheels (diameter X width)		mm	Φ210x75
Type size, loading wheels (diameter X width)		mm	Φ160x70
Type size, caster wheels (diameter X width)		mm	Φ100x40
Wheel, number driving, caster/loading (drive) wheels		mm	1x,2,4
Track width, front driving side	B10	mm	592
Track width, rear loading side	B11	mm	515
Dimensions			
Height of mast, lowered	h1	mm	2895
Free lift	h2	mm	0
Lift height	h3	mm	3000
Height drawbar in driving position min./max.	h34	mm	970/1330
Lowered height	h33	mm	86
Overall length	L1	mm	1810
Length to face of forks	L2	mm	660
Overall width	b1/b2	mm	820
Fork dimensions	f e/ l	mm	60/180/1150
Distance between fork arms	b5	mm	695
Ground clearance, center of wheelbase	r2	mm	36
Aisle width for pallets 1200 X 1200 crossways	Ast	mm	2235
Aisle width for pallets 800 X 1200 lengthways	Asl	mm	2200
Turning radius	Wa	mm	1340
Performance data			
Travel speed, laden/unladen		km/h	4.5/5.5
Lifting speed, laden/unladen		m/s	0.085/0.15
Lowering speed, laden/unladen		m/s	0.11/0.19
Max. gradeability, laden/unladen		%	4/10
Service brake type			
Electric engine			
Drive motor rating S2 50 min		kW	1.0
Lift motor rating at 5% slope		kW	2.2
Battery voltage/nominal capacity K5			4x12/65
Battery weight		kg	4515.3
Addition data			
Type of drive control	dB(A)		81dB
Sound pressure level at the driver's seat			87dB

3. สินค้าโลจิสติกส์ ครบวงจร


Work Icon Techsolutions Co., Ltd. : Highlight Products

Logistics Products

สินค้าโลจิสติกส์ครบวงจร

Barcode Scanner, Plastic Box, รถลากพร้อมเครื่องชั่ง, รถยกไฟฟ้า
รถโฟล์คลิฟท์, จา Forklift สามารถชั่งได้, เครื่องไฟฟ้า, พาเลทพลาสติก
X-Lift, Lift, Ramp, Dock Leveler


4. ระบบกำจัดไอสารเคมี (Wet Scrubber System) / กำจัดHCL / Exhaust System



5. รับซ่อมรอยร้าวหลังคา / เปลี่ยนหลังคา สำหรับโรงงาน และอาคารขนาดใหญ่



6. RFID Dock Loading System / Gates System




Read Antenna



Gate App Software

7. RFID Automated Truck Scale (ระบบเครื่องชั่งรถบรรทุกแบบอัตโนมัติ RFID)



8. เครื่องมือวัด เครื่องมือทดสอบ (Testing & Measuring Products)


Work Icon Techsolutions Co., Ltd. : Highlight Products

Testing & Measuring Products

เครื่องมือวัด เครื่องมือทดสอบ

- เครื่องวัดแอดคอสซอด, เครื่องวัดความหนาสี, เครื่องวัดไฟฟ้า
- เครื่องวัดแรงดึงแรงกด, เครื่องวัดแก๊ส, เครื่องวัดปริมาณฝุ่น

9. Elcometer รุ่นต่างๆ และ Coating Thickness Gauge (เครื่องวัดความหนาสี)



PORTABLE COATING THICKNESS GAUGING

Coating Thickness Gauge IPX-201FN

Features

- One & 2-Button Operation
- High Accuracy
- Non-destructive coating thickness measurement and recording
- Easy to use

Standard Delivery

- Meter
- Probe
- Cable
- Calibration Certificate
- Instruction Manual
- Carrying Case
- Manual
- Certificate

Optional Accessories

- Calibration Certificate

Partners in Precision

10. เครื่องวัดคุณภาพอากาศ และ PM2.5

Temtop

M2000 2nd Generation
Multi-functional Air Quality Detector



WiFi Weather Station
Model: 0320-020T



11. DC Porosity Detector



PCWI Compact
DC POROSITY DETECTORS

Complies with the requirements of
AS3894.1-2002 and Nace Standards SP0400-2007;
EP0274-2004 & SP0185-2005

Applications

- Used for detection of coating porosity (pin-holes or holidays) in dielectric (insulation type) coatings on conductive substrates, including concrete.
- Suitable for Production Pipeline Coating operations. Tank-work and Structures. Ideal for use on storage tanks, valves and pipelines.
- Housed in a fully portable ABS case, the Detectors deliver stabilised DC output of up to 30kv. Constant current source maintains applied test voltage. Full test current at low voltages (where it is needed most) when testing at low film builds (eg. 150µm—as per AS3894.1-2002)
- Incorporating momentary-on and continuous-on switches (mounted on the front panel), allowing the units to be switched on momentarily for safety, or run continuously.
- No need to swap power supplies or change probes to change voltage – the Detectors have clip-on battery packs that can be separately charged. Can operate off mains power (via the charger) during recharging. Fully recharged in 10 hours. Regulated DC output fully adjustable. Applied voltage and battery condition are continuously shown on the Liquid Crystal Display

Controls

- LCD display (including battery condition indicator)
- Voltage control (10 turn)
- Visual alarm indicates when fault is found
- On switch
- Off/stand switch
- Sensitivity control for the alarm
- Audible alarm when fault is found
- High Voltage probe connector
- Fuse (1.6A slow blow) 5 x 20mm
- Earth connection point
- Charge connector – allows operation while charging or in progress
- Clip-on battery pack
- Earphone (connected on opposite side)



Made in AUSTRALIA



Features

- Lightweight with ABS case
- Momentary on switch allows auto shut-off
- Digital display of applied voltage with integral battery condition indicator
- Regulated DC voltage
- Voltage ranges of 0-15kv or 0-30kv, fully adjustable
- Clip-on battery pack
- Constant test current
- Sensitivity control
- Overcharge protection
- Single power supply
- Earphones for noisy environments
- Optional on/off switch in handle

Complete with

Industrial Kit:
Detector with clip-on power pack, 10hr Charger, Probe handle with neon and 2m lead, 60mm Connector for flat brushes, 7m Earth lead with clamp, Fan Brush, 450mm Probe extension, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration Certificate.

Pipeline Kit:

Detector with clip-on power pack, 10hr Charger, Probe handle with neon and 2m lead, 60mm Connector for flat brushes, 7m Earth lead with clamp, Fan brush, Coil joiner with 450mm connector, Air-operated earphones, Shoulder & Waist Harness, Kit Case, Operating instructions with Calibration Certificate.

Specifications

	DC15	DC30
Unit Weight:	2.2kg	2.2kg
Packed Weight:	6.0kg	6.0kg
Display:	LCD 3 1/2 digits	LCD 3 1/2 digits
Voltage:	0 to 15kv	0 to 30kv
Resolution:	10v	10v
Short circuit:	Test current 0.5mA max	Test current 0.5mA max
Power supply:	Gel Cell 3Ah Slide-off	Gel Cell 3Ah Slide-off
Dimensions:	260 x 190 x 70mm	260 x 190 x 70mm
Alarm:	Audible and visual	Audible and visual
Probe handle:	2m high-voltage silicon-rubber lead	2m high-voltage silicon-rubber lead
Battery condition:	LCD Display	LCD Display

12. รถเข็นฉุกเฉิน (Emergency Carts/Trolleys)

LS-850EB
Emergency Trolley



EMERGENCY TROLLEY

MODEL: MIZAKI 103

SPECIFICATION:

- Size : 465 x 650 x 900 mm.
- ABS body with aluminium alloy
- One light drawer + two middle drawers + two big deep drawers
- Two dust bin
- Two plastic box with out lid
- Two Needle disposal box
- Adjustable I.V. Pole 4 Hooks
- C.P.R. Board size: 410 x 530 x 20 mm
- Oxygen Tank holder
- Sliding side shelf size : 500 x 330 mm
- Monitor shelf size : 250 x 300 mm
- Two keys for centralized locking



13. Dock Levelers




Electrohydraulic Dock Leveler with Telescopic Lip
เหมาะสำหรับใช้กับรถบรรทุกที่มีน้ำหนักบรรทุกสูงและมีความสูงของรถบรรทุกแตกต่างกันไป สามารถปรับระดับพื้นผิวได้โดยอัตโนมัติ



Electrohydraulic Dock Leveler with Hinged Lip DLMR SERIES
เหมาะสำหรับใช้กับรถบรรทุกที่มีน้ำหนักบรรทุกสูงและมีความสูงของรถบรรทุกแตกต่างกันไป สามารถปรับระดับพื้นผิวได้โดยอัตโนมัติ



MODL Mechanical Dock Leveler
เหมาะสำหรับใช้กับรถบรรทุกที่มีน้ำหนักบรรทุกสูงและมีความสูงของรถบรรทุกแตกต่างกันไป สามารถปรับระดับพื้นผิวได้โดยอัตโนมัติ



14. สินค้าในห้อง Lab เช่น Oven, Waterbath, Stirrer, เป็นต้น

Work Icon Techsolutions Co., Ltd. : Highlight Products

Laboratory Products **memmert** **Nabertherm** **LAB-KITS**
Lab Instruments & Facilities

สินค้าในห้อง Lab
เช่น Oven, Waterbath, Incubator Brand: Memmert
Furnace Brand: Nabertherm, Spectrophotometer Brand: Lab-Kits



15. ถุงมือ MAPA (ขายส่งเน้นจำนวนมาก)

CHEMICAL PROTECTION > Neoprene

StanZoil NL-52/337

DESCRIPTION AND GENERAL PROPERTIES

- Material Neoprene
- Length (inches) 14
- Wrist: Scalloped cuff
- Colour/Color Black / Blue
- Interior finish Textile support
- Exterior finish Non-slip grip
- Size / EAN 8 9 10 11
- Packaging 12 pairs/bag - 48 pairs/carton



16. Universal Testing Machine (UTM)

Zwick / Roell


Zwick
Materials Testing

Product Information

ProLine table-top testing machines Z005 up to Z100



ProLine Z050TN



Principle drawing of the ProLine Z005/Z020 TN

17. Modernization Universal Testing Machine (Brand: Zwick/Roell)

Modernization with ZwickRoell

Grab the most intelligent testing system with modernization



Picture 6: ProLine 2010 with MOFS electronics before modernization


Picture 7: ProLine 2010 after modernization at ZwickRoell's premises

Zwick / Roell

18. Chiller



Daikin Air Cooled Single Screw Chiller



19. Reach Truck (Lithium Battery)



1.5-1.8 t

G2系列站式锂电池
前移式叉车(80V)

G2 SERIES LITHIUM BATTERY
POWERED REACH TRUCK
(STAND ON TYPE)

HELI



20. รถกระเช้า (Boom Lift/Scissor Lift) มีหลากหลายสเปก บริการส่งทั่วประเทศ

EC600SJ
ELECTRIC BOOM

BOOM LIFT





STANDARD SPECIFICATIONS


Performance

Platform Height	40-113 in / 10.26 m
Horizontal Outreach	43-71 3/4" / 10.98 m
Swing	400 Degrees Non-Continuous
Platform Capacity	500-lb / 227-kg
Platform Rotator	180 Degrees Hydraulic
Jib Range of Articulation (Vertical)	145 Degrees (-75, -78)
Weight*	3678-lb / 1668-kg
Max. Ground Bearing Pressure	52 psf / 2.5 kg/cm ²
Drive Speed	3.8 mph / 6.1 km/h
Gradeability (2WD)	30%
Gradeability (4WD)	40%
Turning Radius Inside (2WS/4WS)	4-ft / 1.22 m
Turning Radius Outside (2WS/4WS)	19-ft 2.5-in / 6.144-m

JS08 Series Self Propelled Scissor Type Aerial Work Platform complies with GB25849 and EN280 standards

HELI

Model	JS0808	JS0808LI	JS0808E	JS0808ELI
Dimension				
A1 Max working height	m 10	10	10	10
A2 Max platform height	m 8	8	8	8
B Overall length	m 2.4	2.4	2.4	2.4
C Overall width	m 0.61	0.61	0.61	0.61
D Overall height (guardrail unfolded)	m 2.3	2.3	2.3	2.3
Height stowed-rails folded	m 1.90	1.90	1.90	1.90
Platform Size (length X width) (E x F)	m 2.25 x 0.61	2.25 x 0.61	2.25 x 0.61	2.25 x 0.61
G Guardrail height	m 1.1	1.1	1.1	1.1
H Extension size of platform	m 0.9	0.9	0.9	0.9
I Ground clearance (retracted state)	mm 95	95	95	95
J Ground clearance (lifting state)	mm 20	20	20	20
K Wheelbase	m 1.85	1.85	1.85	1.85



21. รถ Counterbalance Forklift / รถลากจูงไฟฟ้า



CPD20/25/30/35/38
A6LK2-S A6LK2-M A5LK2-H



HELI

2-7t
G2系列锂电池牵引车
G2 series lithium battery tractor



22. Viber X+, Brand: VMI



The VIBER X+ is a digital vibration instrument designed to be easy to use and reliable for both beginners and professionals. It ensures durability and consistent performance.

The VIBER X+ measures total vibration across selected frequency ranges and evaluates bearing conditions.

23. Color Assessment Cabinet

B6006 Metal Color assessment cabinet

Brand: ABD

Model: B6006 6 light sources

Light sources: D65, TL84, F, UV, CWF, TL83

Weight: 23Kg

Dimension: 683x525x53.8mm

Lamp Brand: Philips



24. Ultrasonic Thickness Gauge

Industrial

39DL PLUS™ Ultrasonic Thickness Gauge
Fast. Field-Proven. Future-Ready.

EVIDENT

OLYMPUS
Your Vision, Our Future.

ULTRASONIC THICKNESS GAUGE
45MG

NEW

View with approved features

- Color Transflective QVGA Display
- Dual Element Corrosion Gaging
- Precision Thickness Measurements
- Rugged, Designed for IP67

25. Digital Micro Vickers Hardness Tester



26. X-Lift




27. Gen Set

GEN-SET (TM-C825) 750KVA (600KW)

- GENSET TYPE : OPEN TYPE
- PRIME POWER : 750 KVA = 600 KW
- STANDBY POWER : 825 KVA = 660 KW
- ENGINE TYPE : CUMMINS
- ENGINE MODEL : KTA38-G1
- ALTERNATOR : STAMFORD
- ALTERNATOR MODEL : S5L1D-H4
- CONTROL PANEL : DEEPSEA 7320
- CIRCUIT BREAKER : DELIXI 1600A, 3POLES, ACB
- ATS(SEPARTE CABINET) : SUYANG BRAND, 1600A
- SILENCER / MUFFLER : INDUSTRIAL - TYPE
- BATTERY : APOLO
- FUEL TANK CAPACITY : WITHOUT
- POWER AT : 400/230V, 50Hz, 3phase, 1500rpm, P.F. 0.8



28. พัดลมแขวนขนาดใหญ่ (Big Fan / High Volume Low Speed Fan)



Work Icon
Techsolutions

Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

Sample of Our Prestige Customers

 บริษัท ท่าอากาศยานไทย จำกัด (มหาชน) Reports of Thailand Public Company Limited		
 CHRISTIANI & NIELSEN		
		
		
		
		
		
		
		

Sample List of Our Customers

AGC Chemicals (Thailand) Co., Ltd.	NHK Spring (Thailand) Co., Ltd.
Airports of Thailand PLC. (Suvarnabhumi Airport)	Nippon Paint (Thailand) Co., Ltd.
AMATA Natural Gas Distribution Co., Ltd.	Oji Paper (Thailand) Co., Ltd.
Asia Cement PLC.	Pepsi-Cola (Thai) Trading Co., Ltd.
Bangkok Solar Power Co., Ltd.	Phyathai Hospital PLC.
Beko Thai Co., Ltd.	POSCO-Thainox PLC.
Behn Meyer Chemicals (T) Co., Ltd.	President Rice Products PLC. (MAMA)
Bridgestone Tire Manufacturing (Thailand) Co., Ltd.	PTT PLC.
Calbee Tanawat Co., Ltd. (Calbee Snacks)	PTT Natural Gas Distribution Co., Ltd.
Cargill Siam Co., Ltd.	Ratchburi Power Co., Ltd.
Cal-Comp Electronics PLC.	Rayong Glass Industry Co., Ltd.
Christiani & Neilsen (Thai) PLC.	S&P Syndicate PLC. (S&P)
Churarat Hospital PLC.	SCG Chemicals Co., Ltd.
CJ Korea Express (Thailand) Co., Ltd.	Schenker (Thai) Co., Ltd.
CP All PLC. (7-Eleven Thailand)	Sharp Manufacturing (Thailand) Co., Ltd.
CPF (Thailand) PLC.	Sino-Thai Engineering and Construction PLC.
Daimler Commercial Vehicles (Thailand) Ltd.	Solartron PLC.
Dhanasindhi Co., Ltd. (Thai Bev)	Songkhla Canning PLC.
DHL Supply Chain (Thailand) Co., Ltd.	Sriracha Construction PLC. (SRICHA)
Endress+Hauser (Thailand) Ltd.	Sri Trang Agro Industry PLC.
GFPT Nichirei Co., Ltd.	Taokaenoi Food & Marketing PLC.
GISTDA	TDK (Thailand) Co., Ltd.
Haad Thip PLC. (Coca-Cola)	Thai Carbon Black PLC.
Hitachi Chemical Automotive Co., Ltd.	Thai Foods Group PLC.
Hitachi Plant Technology Co., Ltd.	Thai Malaya Glass Co., Ltd. (Berli Jucker PLC.)
Honda Automobile (Thailand) Co., Ltd.	Thai Rath Newspaper
Italian Thai Development PLC.	Thai Union PLC.
Indorama Ventures PLC.	The Mall Group
Jotun Thai Co., Ltd.	The Petroleum College, Chulalongkorn University
Khon Kaen Hospital	TNT Express Worldwide (Thailand) Co., Ltd.
Krabi Nakharin International Hospital	Toray Hybrid Cord (Thailand) Co., Ltd.
Kohler (Thailand) PLC.	Toshiba Hokuto Electronic Devices (Thailand) Co., Ltd.
Kubota Kasui (Thailand) Co., Ltd.	TOSHIBA (Thailand) Co., Ltd.
LF Logistics (Thailand) Ltd.	True Distribution and Sales Co., Ltd.
Metropolitan Electricity Authority (MEA)	True Lifestyle Retail Co, Ltd. (True Coffee)
Minor Food Group PLC.	Vibhavadi Hospital PLC.
NHK Precision Co., Ltd.	YANMAR (S.P.) Co., Ltd.

Work Icon
Techsolutions

Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 to 9 | Hotline: 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com



: @workicon



: @workiconth



: workicontech



: Work Icon Techsolutions Co., Ltd.

เปิดรับสมัครตัวแทนจำหน่ายทั่วประเทศ

Work Icon
Techsolutions

Work Icon Techsolutions Co., Ltd.

Importer & Distributor in Thailand for Brands :



เปิดรับสมัคร
ตัวแทนจำหน่าย
ทั่วประเทศ

Work Icon Tel : 02-157-1577 to 9 | Hotline : 086-569-1546



Emergency Showers & Eye Washes




Testing & Measuring



Laboratory Products & Emergency Carts



Safety Products



สินค้า Logistic & เครื่องซิงเฟลา



Mobile Racks & Automatic Warehouse



Project : ติดตั้ง Chiller



Project : ม้ายพัดลม, แอร์, เครื่องจักรขนาดใหญ่



High Pressure & Floor Carpet Cleanings



Construction Tools



ตู้Gen & หม้อแปลงไฟฟ้า



Repair & Calibration

Samples of our customers :



Work Icon Techsolutions Co., Ltd.
Email : contact@workicontech.com
Website : www.workicontech.com

[@workiconth](https://twitter.com/workiconth)



Line : @workicon



IG : workicontech



Work Icon Techsolutions Co., Ltd.



สนใจเป็นตัวแทนจำหน่าย ติดต่อ :

Work Icon Techsolutions Co., Ltd.

Tel: 02-157-1577 ถึง 9 | Hotline : 086-569-1546

E-mail: contact@workicontech.com

Website: www.workicontech.com